

	Type	Hits	Search Text	DBs
1	IS&R	0	("firsadj (tubeconduit)").PN.	USPAT; US-PGPUB; DERWENT
2	BRS	29335	first adj (tube conduit)	USPAT; US-PGPUB; DERWENT
3	BRS	33226	second adj (tube conduit)	USPAT; US-PGPUB; DERWENT
4	BRS	23890	(first adj (tube conduit)) and (second adj (tube conduit))	USPAT; US-PGPUB; DERWENT
5	BRS	4452	((first adj (tube conduit)) and (second adj (tube conduit))) and (transducer sensor)	USPAT; US-PGPUB; DERWENT
6	BRS	212827	((((first adj (tube conduit)) and (second adj (tube conduit))) and (transducer sensor)) and (eliminat\$3 prevent\$3 stop\$3 prohibit\$3) near (first adj (tube conduit)) resonance	USPAT; US-PGPUB; DERWENT
7	BRS	3	((((first adj (tube conduit)) and (second adj (tube conduit))) and (transducer sensor)) and (eliminat\$3 prevent\$3 stop\$3 prohibit\$3) near4 resonance	USPAT; US-PGPUB; DERWENT
8	BRS	1302	73/866.5	USPAT; US-PGPUB; DERWENT
9	BRS	828	73/866.5 and (transducer sensor)	USPAT; US-PGPUB; DERWENT
10	BRS	1	(73/866.5 and (transducer sensor)) and (eliminat\$3 prevent\$3 stop\$3 prohibit\$3) near4 resonance	USPAT; US-PGPUB; DERWENT
11	BRS	1	(73/866.5 and (transducer sensor)) and (eliminat\$3 prevent\$3 stop\$3 prohibit\$3) near2 resonance	USPAT; US-PGPUB; DERWENT
12	BRS	1560	(measur\$3 sens\$3 detect\$3 evaluT\$3) near3 pressure and turbine adj engine	USPAT; US-PGPUB; DERWENT
13	BRS	37	((measur\$3 sens\$3 detect\$3 evaluT\$3) near3 pressure and turbine adj engine) and first adj (tube conduit)	USPAT; US-PGPUB; DERWENT
14	BRS	31	((((measur\$3 sens\$3 detect\$3 evaluT\$3) near3 pressure and turbine adj engine) and first adj (tube conduit)) and second adj (tube conduit)	USPAT; US-PGPUB; DERWENT
15	BRS	10309	pressure and (sesnor transducer) .ti.	USPAT; US-PGPUB; DERWENT
16	BRS	46605	pressure and (sensor transducer) .ti.	USPAT; US-PGPUB; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/10/26 12:11			0
2	2004/10/26 12:58			0
3	2004/10/26 12:13			0
4	2004/10/26 12:13			0
5	2004/10/26 12:52			0
6	2004/10/26 12:30			0
7	2004/10/26 12:52			0
8	2004/10/26 12:51			0
9	2004/10/26 12:52			0
10	2004/10/26 12:54			0
11	2004/10/26 12:57			0
12	2004/10/27 10:56			0
13	2004/10/26 13:01			0
14	2004/10/26 12:59			0
15	2004/10/26 13:00			0
16	2004/10/26 13:00			0

	Type	Hits	Search Text	DBs
17	BRS	163	(pressure and (sensor transducer) .ti.) and turbine adj engine	USPAT; US-PGPUB; DERWENT
18	BRS	2	((pressure and (sensor transducer) .ti.) and turbine adj engine) and first adj (tube conduit)	USPAT; US-PGPUB; DERWENT
19	BRS	49	(pressure and (sensor transducer) .ti.) and turbine adj engine and (tube conduit)	USPAT; US-PGPUB; DERWENT
20	BRS	6	((pressure and (sensor transducer) .ti.) and turbine adj engine and (tube conduit)) and second adj passage	USPAT; US-PGPUB; DERWENT
21	BRS	1	(73/866.5 and (transducer sensor)) and (eliminat\$3 prevent\$3 stop\$3 prohibit\$3) near3 resonance	USPAT; US-PGPUB; DERWENT

	Time Stamp	Comments	Error Definition	Errors
17	2004/10/27 10:36			0
18	2004/10/26 13:01			0
19	2004/10/27 09:39			0
20	2004/10/26 13:04			0
21	2004/10/26 15:12			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L2	6	1 and cap	USPAT; US-PGPUB; DERWENT	2004/10/27 09:39	
2	BRS	L1	49	(pressure and (sensor transducer) .ti.) and turbine adj engine and (tube conduit)	USPAT; US-PGPUB; DERWENT	2004/10/27 09:49	
3	BRS	L3	163	(pressure and (sensor transducer) .ti.) and turbine adj engine	USPAT; US-PGPUB; DERWENT	2004/10/27 10:36	
4	BRS	L4	1	3 and dynamic near static	USPAT; US-PGPUB; DERWENT	2004/10/27 10:51	
5	BRS	L5	0	3 and dynamic near static	USPAT; US-PGPUB	2004/10/27 10:57	
6	BRS	L6	1560	(measur\$3 sens\$3 detect\$3 evaluT\$3) near3 pressure and turbine adj engine	USPAT; US-PGPUB; DERWENT	2004/10/27 10:57	
7	BRS	L7	17	6 and dynamic near static	USPAT; US-PGPUB	2004/10/27 10:57	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0